

TiONA® 244

PRODUCT DATA SHEET

www.tronox.com

Description: TiONA® 244 is a neutral-blue tone, chloride-process rutile titanium dioxide pigment designed for optimal dispersion and processing performance in plastics. The proprietary, hydrophobic organic treatment yields an easy-dispersing pigment in virtually all plastic resin systems, and inhibits the yellowing effects that can occur during polyolefin processing.

- Key Features:**
- Outstanding brightness and whiteness
 - Excellent dispersion
 - Reduced screen pack blockage
 - Reduced downtime
 - Fewer defects in thin film applications
 - Easy processing without the use of stearates or other processing aids
 - Excellent brightness
 - Highest opacity and tinting strength

Applications: TiONA® 244 is recommended for evaluation in:

- Color concentrate
- Polyolefins
- ABS
- Polystyrene
- Flexible PVC
- PVC pipe
- Vinyl siding substrate layer
- Plastisols

Typical Properties:	• TiO ₂ content:	97%
	• Surface treatment:	Alumina, organic
	• Oil absorption:	35g/100g
	• Specific gravity:	4.1
	• Tint tone:	Neutral-blue
	• Loss at 105°C:	0.15%

Additional Information: TiONA® 244 conforms to:

- ASTM D476 Type II
- ECOIN: listed under EINECS number 236-675-5
- CAS number 13463-67-7
- Color Index 77891, Pigment White 6

Regulatory Status: TiONA® 244 has a wide range of regulatory approvals for various applications worldwide. Please see www.tronox.com or contact your Tronox sales representative for additional information. Regulatory information requests may also be submitted at chemprodsteward@tronox.com.

TiONA® is a registered trademark in the United States and other countries around the world. Unless otherwise provided by applicable law, nothing contained in this literature shall be deemed a representation or warranty of any kind, either expressed or implied. The recommendations and suggestions given in this literature are presented for your own investigation and verification. The products of the Tronox Holding plc, its subsidiaries and affiliates ("Seller") are sold only on the basis of conforming to specifications, and subject to Seller's standard Terms and Conditions of Sale, but without warranty, expressed or implied, in law or in fact, of merchantability or fitness for a particular purpose and upon the condition that purchasers make their own tests to determine the suitability of such products for their particular purposes. Statements concerning the possible use of Seller's products or processes described are not intended as recommendations or permission to use the same in the infringement of any patent, or to practice a patented invention without a license. By reason of a lack of knowledge as to specific end uses of this product, no representation or warranty is made as to the conformance of the product with food contact laws or regulations. See the Safety Data Sheet (SDS) for this product for safety information prior to use. This document does not constitute a specification. Product specifications are available on request.