

TiKON™ 36

PRODUCT DATA SHEET

www.tronox.com

Description: TiKON™ 36 is a bluish tint tone, sulfate-process, rutile titanium dioxide pigment, designed to provide good optical performance and dispersibility in a wide range of plastics.

- Key Features:**
- Excellent brightness and whiteness
 - Bluish tint tone
 - Good dispersibility
 - Excellent processability
 - Excellent powder handling
 - Hydrophobic

Applications: TiKON™ 36 is recommended for evaluation in:

- General purpose masterbatch
- Polyolefins
- ABS
- Styrenics
- Interior Rigid PVC
- Flexible PVC and plastisols
- Rubber

Typical Properties:	<ul style="list-style-type: none"> • TiO₂ content: • Surface treatment: • Specific gravity: • Bulk density: 	<p>96%</p> <p>Alumina, organic</p> <p>4.1</p> <p>1.0 kg/l or 62 lbs/cu.ft.</p>
----------------------------	--	--

- Additional Information:** TiKON™ 36 conforms to:
- ASTM D476 Type II
 - BS EN ISO 591-1:2000 Type R2
 - ECOIN: listed under EINECS number 236-675-5
 - CAS number 13463-67-7
 - Color Index 77891, Pigment White 6

Regulatory Status: TiKON™ 36 has a wide range of regulatory approvals for various applications worldwide. Please see www.tronox.com or contact your Tronox sales representative for additional information. Regulatory information requests may also be submitted at chemprodsteward@tronox.com.