

# TiKON™ 36

## PRODUCT DATA SHEET

[www.tronox.com](http://www.tronox.com)

**Description:** TiKON™ 36 is a bluish tint tone, sulfate-process, rutile titanium dioxide pigment, designed to provide good optical performance and dispersibility in a wide range of plastics.

- Key Features:**
- Excellent brightness and whiteness
  - Bluish tint tone
  - Good dispersibility
  - Excellent processability
  - Excellent powder handling
  - Hydrophobic

**Applications:** TiKON™ 36 is recommended for evaluation in:

- General purpose masterbatch
- Polyolefins
- ABS
- Styrenics
- Interior Rigid PVC
- Flexible PVC and plastisols
- Rubber

- |                            |   |
|----------------------------|---|
| <b>Typical Properties:</b> | <ul style="list-style-type: none"> <li>• TiO<sub>2</sub> content: 96%</li> <li>• Surface treatment: Alumina, organic</li> <li>• Specific gravity: 4.1</li> <li>• Bulk density: 1.0 kg/l or 62 lbs/cu.ft.</li> </ul> |
|----------------------------|---|

- Additional Information:** TiKON™ 36 conforms to:
- ASTM D476 Type II
  - BS EN ISO 591-1:2000 Type R2
  - ECOIN: listed under EINECS number 236-675-5
  - CAS number 13463-67-7
  - Color Index 77891, Pigment White 6

**Regulatory Status:** TiKON™ 36 has a wide range of regulatory approvals for various applications worldwide. Please see [www.tronox.com](http://www.tronox.com) or contact your Tronox sales representative for additional information. Regulatory information requests may also be submitted at [chemprodsteward@tronox.com](mailto:chemprodsteward@tronox.com).